




HAPPY SAUNA®
Wellness Today





Personal Sauna is your private home sauna. A friend that waits for you after a hard day to refresh body and spirit. A few minutes to relax and regain your well-being in a space that you can get anywhere in your home. Comfort is guaranteed by high quality materials and finishes with elegant Italian design., that makes Personal Sauna an ideal product even for the most prestigious luxury hotels suites and the Private SPAs.

The dry climate of the sauna is suitable for relieving arthritic and rheumatic pain and for strengthening the immune system, preventing inflammation, flu and cold.



**Construction features:**

- wall thickness 60 mm;
- wooden frame in “Valle di Fiemme” fir;
- internal coating in Hemlock wood (Canadian fir) boards, not treated, thickness 20 mm;
- side panel in Krion® with RGB led backlighting;
- panoramic door in tempered glass, thickness 10 mm, equipped with external handle in Krion® and internal handle in wood;
- bench, backrest and ceiling decorations in cooked Toulipièr wood;
- removable seat and floor grate for easy cleaning of the floor through the “move and clean” system;
- external coating on request.


Standard equipment:

- low-power consumption and high-performance heater;
- electronic touch-screen control board with automatic system for the management of: temperature, lighting and sound systems inside the cabin;
- internal RGB led lighting system;
- music boxes;
- bucket and ladle in original Finnish wood;
- essences for aromatherapy (1 liter).



Technical features:

- External dimensions (cm): 200 L x 160 P x 225 H
- Minimum dimensions of the installation area (cm): 220 L x 300 P x 250 H
- Net weight: 750 Kg without external coating
- Voltage: 230 V – AC single-phase
- Max power consumption: 4 kW – 19 A



NB: tutte le quote sono espresse in centimetri / all dimensions are expressed in centimeters.

Room features necessary for the correct installation of the cabin:

- the cabin has been designed to be installed in closed spaces, not subject to external atmospheric agents; the cabin has to be installed on finished floors (possibly tiled), perfectly horizontal; before assembling, it has to be verified that the floor and the ceiling of the room have a load resistance compatible with the weight of the cabin;
- at least one of the two connection points to the electric supply line indicated on the plan is to be located inside the cabin



Installation:

- the installation of the “Personal Sauna” must be performed by qualified technicians appointed by Happy Sauna.

NOT INCLUDED:

- Masonry works
- External coating
- Tiled floor
- Electric supply line of proper rating
- All plumbing and electrical works, walling, painting, air conditioning and carpentry not part of the cabin and cabin supply.

The above mentioned service systems must be exactly provided as for the specifications produced by Happy Sauna. We take no responsibility for any faults deriving from service systems that do not conform to our specifications.

DATI TECNICI / TECHNICAL DATA		PERSONAL SAUNA	
CABINA CABIN			NOTE NOTES
Dimensioni Dimensions	200x160x225 (L x P x H)		Ingombro esterno External coating
Potenza elettrica consumata Power consumption	4 kW		
Tensione di alimentazione Voltage	220 V. 50/60 Hz		Monofase Single-phase
Corrente assorbita (max) Electric current (max)	19 A		
Tubazioni alimentazione acqua calda e fredda Hot and cold water supply lines	---		
Tipologia scarico Drain	---		
Peso Weight	750 Kg		
Peso rivestimento esterno External coating weight	150 Kg		Optional Option
IMBALLO PACKING CASE			
Tipologia Kind of packing case			Cassa in legno Wooden box
Dimensioni imballo Packing case dimensions	238x138x226 (L x P x H)		Ingombro esterno External coating
Peso imballo Packing case weight	250 Kg		
Peso totale Total weight	1000 Kg		
VARIE OTHER INFORMATION			
Tempo di montaggio Installation time	2/3 giorni 2/3 days	2 persone 2 technicians	Nostri tecnici Our technicians
Dimensioni minime locale Minimum dimensions of the room	220x300x250 (L x P x H)	